

SECTION 611 RIPRAP

Special Provision

611-2.01 MATERIALS. Add the following after the first sentence: Apparent specific gravity will be determined by WAQTC FOP for AASHTO T85.

R277 (11/07/05)

Add the following item:

- | | |
|--|---|
| 5. <u>Culvert Lining Material, Class A</u> | Meet the following requirements:

8 inch maximum size
25-75% passing the 3 inch sieve
5-10% passing the No. 4 sieve |
|--|---|

Adjust as necessary, the amount of material passing the 3 inch sieve to simulate the natural alluvial material at the site.

Use round and durable stones. Percents are by weight passing a given sieve as determined by WAQTC FOP for AASHTO T27/T11.