



Vessel and Dock Restrictions

Vessel Restrictions*

Additional dock restrictions may apply.

Vessel	Loading Door/Elevator Configuration	Vehicle Restrictions	Notes
MV Columbia	<ol style="list-style-type: none"> 1. Side loading port and starboard 2. Stern loading 	Length: 70' Width: 12' Height: 13'6" Weight: 35 Tons 16 Commercial Vans	2 cardecks, upper and lower. Loading is done via lower car deck with internal elevators to carry vehicles to upper cardeck. Height restrictions may apply to upper car-deck.
MV Kennicott	<ol style="list-style-type: none"> 1. Side loading port and starboard 2. Stern loading 3. Vehicle Elevator port and starboard loading 	Length: 70' using standard loading ramps. 50' using loading elevator Width: 12' Height: 14' Weight: 35 Tons 17 Commercial Vans	See Dock Restrictions for ports where loading elevator is used. Double shuffle may be required when elevator is in use.
MV Malaspina	<ol style="list-style-type: none"> 1. Side loading port and starboard 2. Stern loading 	Length: 70' Width: 12' Height: 13'6" Weight: 35 Tons 10 Commercial Vans	None
MV Matanuska	<ol style="list-style-type: none"> 1. Side loading port and starboard 2. Stern loading 	Length: 70' Width: 12' Height: 13'6" Weight: 35 Tons 10 Commercial Vans	None
MV Tustumena	<ol style="list-style-type: none"> 1. Vehicle Elevator port and starboard loading 	Length: 40' Width: 10' 8" Height: 13'6" Weight: 30 Tons 6 Commercial Vans	The vehicle elevator is used at all ports the Tustumena calls at. Double shuffle may be required when elevator is in use. See next page for width restrictions on vehicle elevator.
MV Aurora	<ol style="list-style-type: none"> 1. Side loading port and starboard 2. Stern loading ramp 	Length: 60' Combination 34' Single Unit Width: 12' Height: 13'6" Weight: 35 Tons 7 Commercial Vans	Portion of cardeck ("the tunnel") is height restricted. Additional dock restrictions apply when serving Prince William Sound ports.

Vessel	Loading Door/Elevator	Vehicle Restrictions	Notes
MV LeConte	1. Side loading port and starboard 2. Stern loading ramp	Length: 60' Combination 35' Single Unit Width: 12' Height: 13'6" Weight: 35 Tons 25 Tons using stern ramp 8 Commercial Vans	Portion of cardeck ("the tunnel") is height restricted. Additional dock restrictions may apply.
FVF Fairweather/ Chenega	1. Starboard side loading 2. Stern loading	Length: 60' Combination Width: 12' Height: 14' Weight: 31 Tons 3 Commercial Vans	Additional dock restrictions apply when serving Prince William Sound ports.
MV Lituya	1. Starboard side loading 2. Stern loading	Length: 40' Combination Width: 12' Height: N/A Weight: 35 Tons 2 Commercial Vans	Open cardeck. Restriction of 2 double axle vehicles per sailing. Contact the Commercial Desk for information.

*Restrictions and capacities shown are for standard vehicle bookings, commercial vehicles may have additional restrictions. Please contact the Commercial Desk for further information.

MV Tustumena Width Restrictions:

Maximum width limit is 10' 8" from ground level to 45" height. Above 45" height maximum width is 11' 6".

Vehicle Load Limits:

In addition to the load limits for each vessel and dock restriction, these guidelines will also apply. Whichever is the most restrictive limit will apply.

All vessel maximum gross vehicle weight: 70,000 lbs. With the following exceptions:

Tustumena: 60,000 lbs.

FVF Fairweather and Chenega 63,000 lbs.

Maximum axle weights:

Aurora, LeConte, Malaspina and Matanuska:

Maximum single axle: 18,000 lbs.

Maximum 2 axle tandem: 34,000 lbs.

Maximum 2 axle tandem: 42,000 lbs.

Chenega, Columbia, Fairweather and Lituya:

Maximum single axle: 20,000 lbs.

Maximum 2 axle tandem: 38,000 lbs.

Tustumena:

Maximum single axle: 12,500 lbs.

Maximum 2 axle tandem: 25,000 lbs.

Kennicott:

Maximum single axle: 20,000 lbs.

Dock Restrictions and Facility Details

Port/Terminal	Address	Terminal Location	Capabilities/Restrictions
Akutan Unattended		In town	<ol style="list-style-type: none"> Utilizes dock owned by Aleutians East Borough - fixed facility – Vehicles larger than 4 wheelers need City permission, due to road/boardwalk limitations. Tie up provided by residents
Angoon attended	Un- PO Box 189 Angoon, AK 99820	1 Mile South of Down- town in Killesnoo Har- bor	<ol style="list-style-type: none"> Stern loading Maximum loads over stern ramp 25 tons
Bellingham <i>Staffed by Port of Bellingham</i> Reservations and Ticketing available	355 Harris Ave Suite 101 Bellingham, WA 98225	I-5 Exit #250, located in Fairhaven Terminal, next to Amtrak Station	<ol style="list-style-type: none"> Stern loading facility Transfer bridge maximum load 35 tons Passengers load to Upper Cabin deck
Chenega Bay Unattended		In town	<ol style="list-style-type: none"> Utilizes North Pacific Rim Housing Authority dock - fixed facility - maximum weight dependent upon vessel's vehicle elevator or ramp: MV Tustumena 30 tons Tie up provided by residents
Chignik Unattended		In town	<ol style="list-style-type: none"> Chignik dock, fixed facility Dock height restriction 10'10" Tie up provided by the City
Cold Bay attended	Un- City of Cold Bay PO Box 10 Cold Bay, AK 99571	Located in a bay 2 miles (road) from town	<ol style="list-style-type: none"> Utilizes Aleutian East Borough dock - fixed facility - maximum weight dependent upon vessel's vehicle elevator: MV Tustumena 30 tons Tie up provided by Mayor
Cordova <i>AMHS Staff</i> Reservations and Ticketing available	PO Box 1668 Cordova, AK 99574	4 Blocks NE of Down- town	<ol style="list-style-type: none"> Two dock facilities: <ol style="list-style-type: none"> Tidal ramp structure with side loading and FVF stern loading. Maximum bridge load 35 tons. Fixed City Dock, maximum load dependent on vessel's vehicle elevator: MV Tustumena 30 tons MV Kennicott 35 tons Tie up at City Dock provided by longshoremen.
Dutch Harbor/Unalaska Unattended	City of Unalaska PO Box 610 Unalaska, AK 99685	1 mile from town	<ol style="list-style-type: none"> Utilizes Unalaska Marine Center Position 3 - fixed facility - maximum weight dependent upon vessels vehicle elevator: MV Tustumena 30 tons Tie up provided by longshoremen
False Pass Unattended		In town	<ol style="list-style-type: none"> Utilizes City dock - fixed facility - maximum weight dependent upon vessels vehicle elevator: MV Tustumena 30 tons Tie up provided by residents
Gustavus Unattended			<ol style="list-style-type: none"> Side loading facility Transfer bridge maximum load 35 tons See Gustavus Port Restrictions reference sheet.

Port/Terminal	Address	Terminal Location	Capabilities/Restrictions
Haines <i>AMHS Staff</i> Reservations and Ticketing available	PO Box 791 Haines, AK 99827	5 Miles NW of Town on Lutak Rd	1. Side loading syncrolift ramp 2. Transfer bridge maximum load 35 tons
Homer <i>AMHS Staff</i> Reservations and Ticketing available	PO Box 290 Homer, AK 99603	4690 Homer Spit Rd (End of Spit Rd) 2 miles south of city center	1. Utilizes the City dock - fixed facility - maximum weight dependent upon vessels vehicle elevator: MV Tustumena 30 tons MV Kennicott 35 tons
Hoonah <i>AMHS Staff</i> Reservations and Ticketing available	PO Box 406 Hoonah, AK 99829	119 Garteeni Hwy (1/4 Miles North of Town)	1. Side loading facility 2. Transfer bridge maximum load 35 tons
Juneau/Auke Bay <i>AMHS Staff</i> Reservations and Ticketing available	PO Box 112500 Juneau, AK 99811	13 Miles North of Town on Glacier Hwy	1. Three loading facilities: a) East Berth - Side loading, 35 tons b) West Berth - Side loading, 35 tons c) Stern Berth - FVF stern loading, 35 tons
Juneau Reservations Office (JCO) <i>AMHS Staff</i> Reservations available by phone. No public access. Call Center Hours: Monday-Friday 7:30AM to 4:30PM 1-800-642-0066	PO Box 112505 Juneau, AK 99811	6858 Glacier Hwy (next to 7 mile DOT bldg.)	1. No dock facilities. 2. Call Center, Commercial Services, Customer Relations, Tour and Youth Group Desks located here.
Juneau Southeast DOT Warehouse No Reservations or Ticketing	PO Box 112506, Juneau, AK 99811	6860 Glacier Hwy (next to 7 mile DOT bldg and JCO.)	1. No dock facilities. 2. SE Warehouse and Lost and Found located here. 3. No Public Access- Customers for Lost and Found may be permitted after contacting warehouse staff. 4. NOTE: Not the same building as JCO. Mail and deliveries should be labeled with the appropriate address.
Kake attended	Un- PO Box 500 Kake, AK 99830	264 Keku Rd (1.4 mile South of Town)	1. Side loading facility 2. Transfer bridge maximum load 35 tons
Ketchikan <i>AMHS Staff</i> Reservations and Ticketing available	3501 Tongass Ave Ketchikan, AK 99901	2.5 Miles North of Town	1. Two loading facilities: a) Main Berth - Side loading, 35 tons b) Stern Berth - Stern loading, 35 tons 2. A third ramp may be available which is part of the ASD Shipyard, side loading, 35 tons
Ketchikan Central Administrative Offices (KCO) Front Office Hours: Monday-Friday 8:00AM to 4:30PM No Reservations or Ticketing available	7559 N. Tongass Hwy Ketchikan, AK 99901	8 miles north of town	1. No dock facilities. 2. General Manager, Dispatch, Vessel Scheduling, Financial and Administrative Services, IT, Marketing, Operations and Terminal Management located here.
King Cove Unattended	City of King Cove PO Box 3 King Cove, AK 99612	In Town on connecting boardwalks	1. Utilizes dock owned by Aleutians East Borough - fixed facility - maximum weight dependent upon vessels vehicle elevator: MV Tustumena 30 tons 2. Tie up provided by King Cove residents.

Port/Terminal	Address	Terminal Location	Capabilities/Restrictions
Kodiak <i>AMHS Staff</i> Reservations and Ticketing available	100 Marine Way Suite 100 Kodiak, AK 99615	1 Block South of City Center	<ol style="list-style-type: none"> Two dock facilities: <ol style="list-style-type: none"> Kodiak City Pier 1 fixed facility, MV Tustumena, Terminal located here. Kodiak City Pier 2 fixed facility, MV Kennicott, located on northwest side of St. Paul Harbor. No terminal facilities, AMHS staff provide check-in and boarding services. Maximum weight dependent upon vessels vehicle elevator: MV Tustumena 30 tons MV Kennicott 35 tons
Marine Engineering Facility (MEF) No Reservations or Ticketing	7037 N. Tongass Hwy, Ketchikan, AK 99901	7 miles north of town	<ol style="list-style-type: none"> No dock facilities. Marine Engineering located here.
Metlakatla/ Annette Bay Unattended	Walden Point Road	Appx. 17 Miles North of Town on Walden Point Road	<ol style="list-style-type: none"> Side loading facility Transfer bridge maximum load 35 tons
Old Harbor Unattended			<ol style="list-style-type: none"> New City Dock, fixed facility - maximum weight dependent upon vessels vehicle elevator: MV Tustumena 30 tons Tie up provided by Old Harbor residents
Ouzinkie Unattended			<ol style="list-style-type: none"> Ouzinkie Bulkhead, fixed facility - maximum weight dependent upon vessels vehicle elevator: MV Tustumena 30 tons Tie up provided by Ouzinkie residents
Pelican attended	Un-	City Center	<ol style="list-style-type: none"> Stern loading facility Transfer bridge maximum load 35 tons Vehicles MUST obtain permit from Pelican City Council before being allowed to enter Pelican - limited roadways.
Petersburg <i>AMHS Staff</i> Reservations and Ticketing available	PO Box 688 Petersburg, AK 99833	1100 S. Nordic Dr (1/2 Mile South of Town)	<ol style="list-style-type: none"> Side loading facility Transfer bridge maximum load 35 tons
Port Lions Unattended	City of Port Lions PO Box 110 Port Lions, AK 99550	2 miles west of town on the airport road at Settlers Cove	<ol style="list-style-type: none"> Utilizes the City dock - fixed facility - load limit is that of dock - 17,000 lbs max on tandem axel and max 23,000 on entire structure Tie up provided by City of Port Lions
Prince Rupert <i>Contract Employees</i> Reservations and Ticketing available	PO Box 458 Prince Rupert, BC Canada V8J 2R2	Yellowhead Hwy #16 (1.5 miles SW of Downtown) on Park Avenue adjacent to BC Ferries Office	<ol style="list-style-type: none"> Stern loading facility Transfer bridge maximum load 35 tons NOTE: Heavy loads require axle weight information, contact terminal or Commercial Services for information. Maximum vehicle width 12'5" dependent upon the wheel configuration. US and Canadian Customs located at terminal.
Sand Point Unattended	City of Sand Point PO Box 249 Sand Point, AK 99661	2 miles from town on Popoff Island	<ol style="list-style-type: none"> Utilizes the City dock - fixed facility - maximum weight dependent upon vessels vehicle elevator: MV Tustumena 30 tons Tie up provided by Harbormaster

Port/Terminal	Address	Terminal Location	Capabilities/Restrictions
Seldovia <i>City of Seldovia Staff</i> Reservations and Ticketing available	City of Seldovia Drawer B Seldovia, AK 99663	In Town	1. Utilizes City dock - fixed facility - maximum weight dependent upon vessels vehicle elevator: MV Tustumena 30 tons MV Kennicott 35 tons 2. Tie up provided by City of Seldovia
Sitka <i>AMHS Staff</i> Reservations and Ticketing available	5307 Halibut Rd Sitka, AK 99835	7.1 miles North of Town	1. Side loading facility 2. Transfer bridge maximum load 35 tons
Skagway <i>AMHS Staff</i> Reservations and Ticketing available	PO Box 263 Skagway, AK 99840	Mile 0 Klondike Hwy, Broadway St. (1/4 Mile South of Town)	1. City of Skagway floating dock with AMHS side loading facility. Loading requires 90 degree turn to board vessels. Possible length and trailer restrictions may apply. 2. Transfer bridge maximum load 35 tons
Tatitlek attended	Un-	1/2 mile from town	1. Utilizes dock owned by North Pacific Rim Housing Authority - fixed facility with two tidal ramps for stern loading via vessel stern ramp. 2. Maximum weight dependent upon vessels stern ramp: MV Aurora 25 tons. 3. Tie up provided by residents.
Tenakee attended	Un-	In Town	1. Utilizes dock owned by Tenakee Springs City, passenger only loading ramp, no vehicles. 2. Transfer of vehicles at Tenakee is limited to motorcycles, ATV's and other small motorized vehicles under 10' length and a maximum weight limit of 1000 lbs.
Valdez <i>AMHS Staff</i> Reservations and Ticketing available	PO Box 647 Valdez, AK 99686	West End of City Dock	1. Side loading syncrolift ramp with restricted ramp apron. Vehicles over 35' require vessel approval. 2. Transfer bridge maximum load 35 tons.
Whittier <i>AMHS Staff</i> Reservations and Ticketing available	PO Box 691 Whittier, AK 99693	In Town	1. Two dock facilities: a) Stern loading syncrolift ramp located at terminal - maximum load 35 tons. b) Cruise Ship Pier utilized by MV Tustumena. Maximum weight dependent upon vessels vehicle elevator: MV Tustumena 30 tons
Wrangell <i>AMHS Staff</i> Reservations and Ticketing available	PO Box 2057 Wrangell, AK 99929	301 McCormack St (1/4 Mile North of Town)	1. Side loading facility 2. Transfer bridge maximum load 35 tons
Yakutat attended	Un-	In Town	1. Utilizes dock owned by City of Yakutat - fixed facility - maximum weight dependent upon vessels vehicle elevator: MV Kennicott 35 tons 2. Tie up provided by residents