



COMMENT SHEET



WENDELL AVENUE BRIDGE (Project 63291)

OPEN HOUSE MEETING

May 8, 2013

We welcome your input and appreciate you taking the time to be involved. All comments and poll answers received will be posted on the project website. Please submit your comments by **May 29, 2013.**

For more information or to submit comments, please see the ADOT&PF staff at the meeting or contact Sarah Schacher, P.E., Engineering Manager, Phone (907) 451-5361, FAX (907) 451-5126, email: sarah.schacher@alaska.gov, or visit the project website at: <http://dot.alaska.gov/nreg/wendell>. For text telephone (TDD), please call (907) 451-2363.

NAME: _____

E-MAIL ADDRESS: _____

MAILING ADDRESS: _____

*Before including your address, phone number, email address, or other personal identifying information in your comment, please be advised that your entire comment – including your personal identifying information – may be made publicly available at any time. While you can ask us in your comment to withhold your personal information from public review, we cannot guarantee that we will be able to do so.

PROJECT QUESTIONS

1. Please rank each bridge rail option in order of preference (1 – 4; where 1 is most desired and 4 is least desired):

- _____ Option 1 – two-tube pedestrian rail on concrete vehicle rail (similar to Barnette Bridge)
- _____ Option 2 – three-tube steel curtain pedestrian/vehicle rail
- _____ Option 3 – three-tube steel pedestrian/vehicle rail on curb
- _____ Other – please explain in comments below.

2. Please rank each luminaire option in order of preference (1 – 4; where 1 is most desired and 4 is least desired):

- _____ Option 1 – common modern roadway luminaire – single mast arm
- _____ Option 2 – common older roadway luminaire – braced mast arm
- _____ Option 3 – specialty streetscape lamp/luminaire
- _____ Other – please explain in comments below.

Please take a moment to explain your answers to the Questions, or share other comments about the project (project scope, traffic impacts, Chena River access, bridge aesthetics, etc.):

Please continue comments on the other side →

[illegible]

Mailed Notice	
Television Ad	
Facebook Ad	

Radio Ad	
Direct Website	
Other	

Newspaper Ad	
Word of mouth	

(explain): _____

	Exceptional			Poor			Exceptional			Poor	
Organization of Materials	5	4	3	2	1	Subject Was Understandable	5	4	3	2	1
Length of Meeting	5	4	3	2	1	Presenter(s) Spoke Clearly	5	4	3	2	1
Time of Meeting	5	4	3	2	1	Knowledge of Staff	5	4	3	2	1
Convenience of Location	5	4	3	2	1	Courtesy of Staff	5	4	3	2	1
Facility Accommodations	5	4	3	2	1	Visual Aids Were Useful	5	4	3	2	1
Comments or suggestions on the meeting:											

Thank you for your time and consideration of our project!

NAME: _____

E-MAIL ADDRESS:

MAILING ADDRESS: _____

*Before including your address, phone number, email address, or other personal identifying information in your comment, please be advised that your entire comment – including your personal identifying information – may be made publicly available at any time. While you can ask us in your comment to withhold your personal information from public review, we cannot guarantee that we will be able to do so.

Please continue your comments:

[illegible]

If you need additional space for comments, please attach an extra blank sheet.

Thank you for your time and consideration of our project!