

METLAKATLA 2023

WALDEN POINTT ROAD

SUNNY SOUTHEAST ALASKA



STATS

- 15 MILES
- 4 LOOKOUTS
- 1 FERRY TERMINAL
- 290,000 SY
- 100,000 LBS SAND
- 33,000 GALLONS GSB-88
- 5 RAIN DAYS
- 12 DAYS ON SITE

LOADING UP



GSB-88 BASICS

- PRODUCT CAN BE TUNED TO PAVEMENT CONDITION OR TO ACHIEVE BETTER CURE
- USE LIKE TEMP PRODUCT AND WATER(BEST IF BOTH ARE WARM)
- ONCE MIXED THE CLOCK IS TICKING, GET THE MATERIAL INSTALLED AND MIX UP THE NEXT BATCH
- MIX ADEQUATELY BUT DON'T OVER-MIX
- ENSURE SURFACE IS SUFFICIENTLY CLEAN.
- ENSURE AGGREGATE SPREAD WIDTH AND RATE ARE ACCURATE
- CHECK YIELDS OFTEN

LESSONS LEARNED

- FORECASTS ARE A BEST GUEST
- STOP INSTALL WELL BEFORE RAIN
- IF THE SUN SHINES START EARLY
- KNOW THE FERRY SYSTEM
- TUNE THE PRODUCT TO THE REGION
- KEEP CURE TIME VARIABLES IN MIND-WIND, HUMIDITY, SURFACE TEMP, AMBIENT TEMP AND SUN EXPOSURE.
- MIX ONLY WHAT IS POSSIBLE TO APPLY IN ONE SHIFT

HEADING HOME



LIVE ACTION

