ALASKA STANDARD PLANS INDEX - MODIFIED FOR CENTRAL REGION Revised April 7, 2025

| BRIDGE AND STRUCTURES | | |
|--|--|--|
| B-04.10 B-04.10HS B-05.10 B-05.10HS B-06.10 B-06.10HS B-07.10 B-08.00 | Cantilevered Retaining Wall Type I Cantilevered Retaining Wall Type I – High Seismic Cantilevered Retaining Wall Type II Cantilevered Retaining Wall Type II – High Seismic Cantilevered Retaining Wall Type III Cantilevered Retaining Wall Type III – High Seismic Cantilevered Retaining Wall Type III – High Seismic Cantilevered Retaining Wall Details Bin Walls | 1 1 1 1 1 1 1 |
| CONSTRUCT | TION – BARRICADES AND SIGNING | |
| C-03.30 C-04.12 C-05.20 C-06.00 | Temporary Pedestrian Accessible Routes Location of Double Traffic Fine Signs Interim Pavement Markings Roadside Safety Treatment for Work Zones | 4 1 1 3 |
| DRAINAGE - | - CULVERTS AND SEWERS | |
| D-01.02 D-04.22 D-04.22 D-04.22 D-04.22 D-06.10 | Culvert Pipe & Arch Installation Details Pipe and Arch Tables Pipe and Arch Tables (Steel Pipe) Pipe and Arch Tables (Plastic Pipe) Pipe and Arch Tables (Spiral Rib Pipe) Culvert End Sections | 1 1 of 4 2 of 4 3 of 4 4 of 4 3 |
| D-07.00 D-08.00 D-09.00 D-11.01 | Culvert Bevels Band Couple and Hardware Schedule Culvert Marker Post – Replaced by Regional Specification Culvert Circulating Thaw Pipe | 1 3 1 |
| D-13.10 D-14.10 D-20.05 D-22.01 | Culvert Thaw Wire Installation – Requires project specific details signed by an EE Remote Thaw Wire Installation – Requires project specific details signed by an EE Manholes, Frame and Cover Stormdrain Manhole Frame and Grate Details | 2 1 1 1 |
| D-23.01 D-24.00 D-25.00 D-25.00 D-26.04 | Curb Inlet Box, Frame and Grate Inlet Frames and Grates High Capacity Curb Inlet Box Frame and Grate High Capacity Inlet Frames and Grates (Field and Gutter Inlets) Type "A" Inlet Boxes | 1 1 1 of 2 2 of 2 1 |
| D-30.11 D-30.11 D-31.01 D-31.01 | Headwalls – Cast-in-Place – Type I Headwalls – Cast-in-Place – Type II Headwalls – Precast – Type I Headwalls – Precast – Type II | 1 of 2 2 of 2 1 of 2 2 of 2 |
| D-31.01 D-35.10 D-36.10 D-37.10 D-42.12 D-43.12 D-44.12 D-45.12 | 48" Storm Drain Manhole (Precast Concrete) Type I Manhole 72" Storm Drain Manhole (Precast Concrete) Type II Manhole 84" to 144" Storm Drain Manhole (Precast Concrete) Type III Manhole Type "C" Inlet Box, 18 Inch Pipe on 4:1 Slope Type "D" Outlet Box, 18 Inch Pipe on 4:1 Slope Type "C" Inlet Box, 24 Inch Pipe on 4:1 Slope Type "D" Outlet Box, 24 Inch Pipe on 4:1 Slope | 1 1 1 1 1 1 1 |
| | _ | |

i

ALASKA STANDARD PLANS INDEX - MODIFIED FOR CENTRAL REGION Revised April 7, 2025

| EROSION AND LANDSCAPING | | | | |
|---|---|--------|--|--|
| E-09.00 | Slope Rounding and Warping | 1 | | |
| | | | | |
| FENCES AND | O GATES | | | |
| F-01.04 | Chain Link Fence | 1 | | |
| F-03.02 | Chain Link Fence Gate | 1 | | |
| F-04.02 | Woven Wire Fence | 1 | | |
| F-05.12 | Woven Wire Fence with Barbed Wire | 1 | | |
| | | | | |
| GUARDRAIL | MEDIAN BARRIERS & CRASH CUSHIONS | | | |
| G-00.05 | Standard Guardrail Hardware (Nuts, Bolts, and Washers) | 1 of 5 | | |
| G-00.05 | Standard Guardrail Hardware (Rail and Splices) | 2 of 5 | | |
| G-00.05 | Standard Guardrail Hardware (Terminal Connectors) | 3 of 5 | | |
| G-00.05 | Standard Guardrail Hardware (Miscellaneous) | 4 of 5 | | |
| G-00.05 | Standard Guardrail Hardware (Flexible Delineators) | 5 of 5 | | |
| G-04.00 | MASH Box Beam Guardrail | 1 | | |
| G-05.11S | Steel Post W31 Guardrail | 1 | | |
| G-05.11W | Wood Post W31 Guardrail | 1 | | |
| G-09.05S | Steel Post Modified Thrie-Beam Guardrail | 1 | | |
| G-10.21 | Guardrail Post Installation | 1 | | |
| G-11.01 | W31 Guardrail Transition Details | 1 | | |
| G-14.01 | W31 Downstream End Anchor | 2 | | |
| G-16.00 | W31 Guardrail Buried-In-Backslope Terminal | 4 | | |
| G-20.12 | Widening for Guardrail End Terminals | 1 | | |
| G-26.00 | W31 Short Radius Guardrail – Rescinded by CED 10/7/2024 | 3 | | |
| G-27.00 | W31 Guardrail Single Post Leaveout | 1 | | |
| G-29.01 | Long Span W31 Guardrail | 1 | | |
| G-32.04 | MASH Bridge Rail Thrie Beam Transition – Verify inclusion with Bridge Design | 1 | | |
| G-33.01 | MASH Three-Tube Bridge Rail Thrie Beam Transition | 1 | | |
| G-47.00 | MASH "F" Shape Concrete Barrier | 1 | | |
| INTERSECTION | ONE ADDDOACHES & DAVEMENT DESIGN | | | |
| INTERSECTIONS, APPROACHES & PAVEMENT DESIGN | | | | |
| I-20.20 | Curb Cut, Curb and Gutter and Curb Ramp Details - Replaced by Regional Detail | 1 | | |
| I-21.12 | Parallel Curb Ramp | 1 | | |
| I-22.11 | Perpendicular Curb Ramp | 1 | | |
| I-30.10 | Accessible Parking | 1 | | |
| I-81.00 | Superelevation Transition – Replaced by Regional Detail | 1 | | |

ALASKA STANDARD PLANS INDEX - MODIFIED FOR CENTRAL REGION Revised April 7, 2025

| LUMINAIRES AND LIGHTING STANDARDS | | | | |
|-----------------------------------|---|--------------|--|--|
| L-03.12 | Lighting Standards | 1 | | |
| L-23.03 | Junction Boxes for Electroliers and Traffic Signals – Replaced by Regional Detail | 1 | | |
| L-24.10 | Type 1 Load Center | 1 | | |
| L-25.01 | Type 1A Load Center | 1 | | |
| L-26.10 | Type 2 and 3 Load Centers | 1 | | |
| L-30.12 | Concrete Street Light Pole Foundation | 1 | | |
| MISCELLANEOUS | | | | |
| | | 1 | | |
| M-13.01 | Survey Monument | 1 | | |
| M-16.01 | Brass Cap Monument and Monument Case | 1 | | |
| M-20.15 | Mailbox Location Mailbox Installation Magneting and Anghaning Details | 1 | | |
| M-23.13 M-24.01 | Mailbox Installation, Mounting and Anchoring Details | 2 1 | | |
| M-25.00 | Cable Safety Rail Asphalt SafetyEdge SM – see CED 4/1/2025 for applicability | 1 | | |
| | | 1 | | |
| SIGN AND S | IGN SUPPORT | | | |
| S-00.12 | Sign Framing – Supplemented by Regional Detail | 1 | | |
| S-01.02 | Bracing for Signs Mounted on Single Post – Replaced by Regional Detail | 1 | | |
| S-05.02 | Post Mounted Sign Offset and Height | 1 | | |
| S-20.11 | Sign to Sign Post Connections - Replaced by Regional Detail | 1 | | |
| S-23.00 | Pole and Mastarm Sign Mounting | 1 | | |
| S-30.05 | Light Sign Structure Post Embedment | 1 | | |
| S-31.02 | Sign Post Base and Foundation | 1 | | |
| S-32.02 | Sign Post Base and Foundation Behind Barrier | 1 | | |
| S-52.01 | Overhead Sign Mounting | 1 | | |
| TRAFFIC CO | <u>NTROL</u> | | | |
| T-05.10 | Guide Marker Placement – Include in plans if G-00 (flexible delineators) is used | 1 | | |
| T-06.00 | Recessed Pavement Markers | 1 | | |
| T-20.04 | Pavement Marking Applications | 1 | | |
| T-21.04 | Pavement Marking Applications | 1 | | |
| T-22.04 | Pavement Marking Symbol Dimensions | 1 | | |
| T-23.01 | Crosswalk Location at Intersection | 1 | | |
| T-25.10 | Milled Rumble Strip | 5 | | |
| T-30.12 | Traffic Signal Hardware | 2 | | |
| T-31.01 | Traffic Signal and Accessories Foundation - Replaced by Regional Detail | 1 | | |
| T-32.10 | Loop Detector Installation - Replaced by Regional Detail | 1 | | |
| T-35.00 | Controller Cabinet Foundation - Replaced by Regional Detail | 1 | | |
| T-52.23 | Concrete 42" Diameter Signal Pole Foundation | 1 | | |
| T-53.02 | Concrete 48" Diameter Signal Pole Foundation | 1 | | |
| T-54.11 | Signal Pole with 15 to 35' Mastarm | 4 | | |
| T-55.11 | Signal Pole with 40 to 50' Mastarm | 4 | | |
| T-56.12 | Signal Pole with 55 to 65' Mastarm | 4 | | |
| T-57.12 | Signal Pole with 70 to 75' Mastarm | 4 | | |
| <u>UTILITIES</u> | | <u>PAGES</u> | | |
| U-03.01 | Thrust Blocks | 1 | | |
| | | - | | |

ALASKA STANDARD PLANS INDEX - MODIFIED FOR CENTRAL REGION Revised April 7, 2025

Alaska Standard Plans can be found here:

https://dot.alaska.gov/stwddes/dcsprecon/standardplans.shtml

CENTRAL REGION STANDARD DETAILS (CRSD - To Be Included on A2 Sheet, when needed)

| CR-G-28.00 | Long Span Concrete Barrier for > 25' Spans | 4 |
|------------|---|--------|
| CR-T-01.20 | Un-Signalized Intersection: Non-Curbed Stop and Crossing Traffic Safety | 1 of 2 |
| | Details | |
| CR-T-01.20 | Un-Signalized Intersection: Curbed Stop and Crossing Traffic Safety | 2 of 2 |
| | Details | |
| CR-T-04.10 | Guide Marker & Delineator Details | 1 |

CENTRAL REGION STANDARD DETAILS CAN BE FOUND HERE:

http://www.dot.state.ak.us/creg/design/highways/AutoCAD/RegionalDetails/CRStandardDetails/

REGIONAL DETAILS

REGIONAL DETAILS ARE DRAWINGS THAT ARE TYPICALLY INCLUDED IN A PROJECT AS A DETAIL ('E') OR TRAFFIC ('H') SHEET AND ALLOWS FOR MINOR PROJECT-SPECIFIC MODIFICATIONS.

THESE DRAWINGS CAN BE FOUND HERE:

https://dot.alaska.gov/creq/design/highways/AutoCAD/RegionalDetails/

CENTRAL REGION INDEX

 $A LASKA\ STANDARD\ PLANS\ INDEX\ MODIFIED\ FOR\ CENTRAL\ REGION\ CAN\ BE\ FOUND\ HERE: \\ \underline{https://dot.alaska.gov/creg/design/highways/AutoCAD/RegionalDetails/}$