


TRACS VEHICLE INSTALLATIONS



What can you do to make the installation process smoother?

What we need from you!



5 Pictures of your vehicle's accessories, and their locations




Picture #1 is of vehicle license plate

999AST

We need a **separate e-mail for each of your vehicles** starting with a picture of the license plate, followed by 4 pictures of specific areas that will be affected by the TraCS components we will install

Due to the number of vehicle installations per agency, it may be necessary for your maintenance shop to pre-wire and label a 20 amp 12 ga ignition feed wire into the center console for printer and dock power

PUSH IN




Enough detail in picture for us to determine if the panel was configured with spare wiring pre-installed in loom

We need a clear view of the passenger side of the console so we can determine if any of your accessories (Flashlight, Chargers, Speakers, Mike Mounts, etc...) must be moved during the installation process



Due to the number of vehicle installations per agency, it will be necessary for your maintenance shop to relocate any conflicting accessory items



This Flashlight charger had to be remounted to the pedestal after the TraCS installation to maintain accessibility

This speaker had to be relocated

We need a full view showing the top and rear of the console

To determine the proper type of printer mount and available mounting surface

This picture does not show enough of the top of the console to determine printer type and available mounting surface for our needs



Center console mounted printer



The Printer will be mounted in this location for most typical installations. We must be able to free up the area on the rear of the console to facilitate this type of mount. Some installations will require the removal of cup holders or storage pockets on the console.

Printer Mount without Full Center Console



The Printer in most newer Impalas will be mounted in this location and can be swiveled to the side and tilted back for access to the OE Console

Picture #5 Wiring in front of console

We need to see if wiring is above or below floor covering in front of console



Above Floor
Covering

DEC 29 2009

Wiring below floor covering

We don't need you to remove the floor covering for this picture, however, we need you to understand that there may be some complications with the TRACS installation if your wiring is located below the floor covering and adequate concern for normal contact was not taken during your initial vehicle set-up.

These wires may need to be relocated during TraCS installation or at a later date by your vehicle set-up or repair facility



This is a question that your Department needs to be able to answer before we complete the installation.

Will the individual officer be available to advise us on their preference or will the Department advise us on a uniform configuration they prefer?



Some agencies require all vehicles to be configured the same. While others agencies allow each officer to locate peripheral items to their individual specifications

Pictures needed

- ▣ Picture **#1** is of vehicle license plate
- ▣ Picture **#2** of **Accessory** fuse panel with cover removed (Not the Factory Fuse Panel)
- ▣ Picture **#3** passenger side front of console
- ▣ Picture **#4** Top view of center console
- ▣ Picture **#5** Wiring in front of console

▣ Pictures need to be copied to a pdf file or attached to a word document with year make and model on the header of the document then e-mailed to:

▣ greg.emery@alaska.gov